

Serial No. 10/685,483  
Amdt. dated June 23, 2005  
Reply to Office action of March 21, 2005

- 2 -

**Amendments to the Claims:**

The following listing of claims replaces all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A wall organizer, comprising:
  - a) a first slatwall member having a plurality of first grooves having a first center-to-center groove spacing between said first grooves, said first slatwall member is for securing ~~secured~~ to a wall;
  - b) a second slatwall member having a second groove and portions of a groove that each forms a groove with an adjacent first or second slatwall member and plurality of second grooves having a second center-to-center groove spacing between said second groove and an adjacent groove formed from one of said portions of a groove and said adjacent first or second slatwall member grooves, said second slatwall member is for securing ~~secured~~ to said wall above or below said first slatwall member;
  - c) at least another first or second slatwall member secured to said wall above or below one of said first and second slatwall members; and
  - d) said first center-to-center groove spacing is not equal to said second center-to-center groove spacing.

Serial No. 10/685,483  
Amdt. dated June 23, 2005  
Reply to Office action of March 21, 2005

- 3 -

2. (Original) A wall organizer as in claim 1, wherein said first and second grooves are T-shaped in cross-section.

3. (Original) A wall organizer as in claim 1, wherein said first slatwall member includes means for interlocking with another first slatwall member.

4. (Original) A wall organizer as in claim 1, wherein said second slatwall member includes means for interlocking with another second slatwall member.

5. (Original) A wall organizer as in claim 1, wherein:

a) said first slatwall member includes means for interlocking with said second slatwall member; and

b) said second slatwall member includes means for interlocking with said first slatwall member.

6. (Original) A wall organizer as in claim 1, wherein said first slatwall member is joined to said second slatwall member with a rabbet joint.

7. (Original) A wall organizer as in claim 1, wherein:

a) said first slatwall member includes a first bottom and a first top peripheral edge;

b) said first top peripheral edge includes a first rabbet slot; and

c) said first bottom peripheral edge of an adjacent first slatwall member fits within said first rabbet slot.

Serial No. 10/685,483  
Amdt. dated June 23, 2005  
Reply to Office action of March 21, 2005

- 4 -

8. (Currently amended) A wall organizer as in claim 1,  
wherein:

a) said second slatwall member includes a second bottom  
and a second top peripheral edge;

b) said second top peripheral edge includes a second  
rabbet slot; and

c) said second bottom peripheral edge of an adjacent  
second slatwall member fits within said second rabbet slot.

9. (Original) A wall organizer as in claim 1 wherein said  
first slatwall member includes a basewall portion and a plurality  
of T-shaped rib portions secured to said basewall portion.

10. (Original) A wall organizer as in claim 1, wherein said  
second slatwall member includes a number of Pi-shaped portions  
joined to each other by a basewall portion.

11. (Original) A wall organizer as in claim 1, wherein said  
first and second slatwall members are extruded plastic.

12. (Currently amended) A wall organizer, comprising:

a) a first slatwall member having a plurality of first  
grooves having a first center-to-center groove spacing between said  
first grooves, said first slatwall member is secured to a wall;

b) a second slatwall member having a second groove and  
portions of a groove that each forms a groove with an adjacent  
first or second slatwall member and ~~plurality of second grooves~~

Serial No. 10/685,483  
Amdt. dated June 23, 2005  
Reply to Office action of March 21, 2005

- 5 -

having a second center-to-center groove spacing between said second groove and an adjacent groove formed from one of said portions of a groove and said adjacent first or second slatwall member grooves, said second slatwall member is for securing ~~secured~~ to said wall above or below said first slatwall member;

c) a shelf member secured to said wall below said first or second slatwall member; and

d) said first center-to-center groove spacing is not equal to said second center-to-center groove spacing.

13. (Original) A wall organizer as in claim 12, wherein said shelf member includes an inclined shelf portion with a transverse wall portion.

14. (Previously presented) A wall organizer as in claim 12, wherein said shelf member includes means for interlocking with said first or second slatwall member.

15. (Previously presented) A wall organizer as in claim 12, wherein:

a) said first and second slatwall members each includes a bottom peripheral edge;

b) said shelf member includes a top portion having recess; and

c) said bottom peripheral is received within said recess.

16. (New) A wall organizer as in claim 1, wherein:

Serial No. 10/685,483  
Amdt. dated June 23, 2005  
Reply to Office action of March 21, 2005

- 6 -

a) said first slatwall member includes a first bottom and a first top peripheral edge;

b) said first top peripheral edge includes a first rabbet slot;

c) said second slatwall member includes a second bottom and a second top peripheral edge;

d) said second top peripheral edge includes a second rabbet slot;

e) said first or second bottom peripheral edge of an adjacent first or second slatwall member, respectively, fits within said first rabbet slot to form one of said said first or second grooves; and

f) said first or second bottom peripheral edge of an adjacent first or second slatwall member, respectively, fits within said second rabbet slot to form one of said first or second grooves.

17. (New) A wall organizer as in claim 16, wherein said first and second peripheral edges are stairs-shaped in cross-section.